# Mobil

## Mobil™ DTE 932 GT

Mobil Industrial , New Zealand

Premium Gas Turbine Lubricating Oil

## Product Description

Mobil<sup>™</sup> DTE 932 GT is a next generation high performance turbine oil designed for use in large frame turbines under severe operating conditions. This product is on selected high quality base oils carefully balanced with a proprietary additive system to provide long oil life in combination with industry leading "keep performance. The formulations also include a non-zinc antiwear system to meet the load carrying requirements of geared turbines.

Mobil DTE 932 GT meets the requirements of modern combustion turbines where the oil is used both as a turbine bearing lubricant as well as for hydraulic controls. DTE 932 GT is specifically formulated for General Electric Frame 3, 5, 6, 7 and 9 turbines with common bearing and hydraulic oil reservoir, where varnish control i needed.

The carefully balanced combination of base oils and additives is designed to limit the occurrence of varnish formation in the hydraulic system of these turbines. The clean performance in combination with a high level of oxidation and thermal stability help provide long and reliable turbine performance.

### Features and Benefits

Mobil DTE brand mineral-based products have been the choice for turbine operators worldwide for more than one hundred years. During that period our com scientists have maintained the strongest ties with turbine equipment builders and operators to ensure that the needs of new turbine designs are met or exceeded lubricants. This has required a continual upgrading of Mobil branded turbine oils and the application of the most appropriate modern base oil and additive technology.

For modern stationary gas turbines operating at high power outputs, exceptional protection against thermal/oxidative degradation and deposit control a requirements. Severe operation causes thermal stressing of the lubricant that can result in filter plugging, servo valve deposits or short oil life.

Mobil DTE 932 GT oil offers the following features and potential benefits:

Features	Advantages and Potential Benefits	
Excellent thermal/oxidation stability	Helps reduce downtime leading to more reliable operation Helps extend oil charge life enabling lower product costs	
Reduces varnish formation potential	Reliable turbine operation and helps reduce maintenance of hydraulic system components	
Excellent foam control and air release	Quick start up potential, even at lower ambient temperatures	
Good electrical conductivity	Helps reduce varnish formation potential leading to reliable turbine operation and helps reduce maintenance of hydraulic sy components	

#### Applications

Mobil DTE 932 GT is a high performance turbine oil designed for use in gas turbine oil systems, direct- or gear-coupled, and turbine speed control mechanisms. S applications include:

- · Combustion turbine bearing and hydraulic systems in both power generation and mechanical drive configurations
- Particularly suited for General Electric frame 6, 7 and 9 applications where varnish control of the hydraulic system is desired
- NOT recommended for steam turbine applications.

Application Note: Mobil DTE 932 GT is not compatible with Mobil DTE 732. Drain and flush is required when converting.

## Specifications and Approvals

This product is recommended for use in applications requiring:	
GE Power GEK 28143B	
GE Power GEK 101941A	
This product meets or exceeds the requirements of:	

GE Power GEK 32568Q

## Properties and Specifications

Property	
Grade	ISO 32
Air Release Time, 50 C, min, ASTM D3427	
Copper Strip Corrosion, 3 h, 100 C, Rating, ASTM D130	
Density @ 15.6 C, g/ml, ASTM D4052	
Flash Point, Cleveland Open Cup, °C, ASTM D92	
FZG Load Carrying Capacity, A/8.3/90, DIN 51354-2	
Kinematic Viscosity @ 100 C, mm2/s, ASTM D445	
Kinematic Viscosity @ 40 C, mm2/s, ASTM D445	
Pour Point, °C, ASTM D97	
Rotating Pressure Vessel Oxidation Test, min, ASTM D2272	
Rust Characteristics, Procedure B, Rating, ASTM D665	
Turbine Oil Stability Test, Life to 2.0 mg KOH/g, h, ASTM D943	
Viscosity Index, ASTM D2270	
Foam, Sequence I, Tendency, ml, ASTM D892	
Foam, Sequence I, Stability, ml, ASTM D892	
Foam, Sequence II, Tendency, ml, ASTM D892	
Foam, Sequence II, Stability, ml, ASTM D892	
Foam, Sequence III, Tendency, ml, ASTM D892	
Foam, Sequence III, Stability, ml, ASTM D892	0

### Health and safety

Health and Safety recommendations for this product can be found on the Material Safety Data Sheet (MSDS) @ http://www.msds.exxonmobil.com/psims/psims.as

## Mobil™ DTE 932 GT

All trademarks used herein are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries unless indicated otherwise.

02-2024 Mobil Oil New Zealand Limited 164-188 Beaumont St Auckland New Zealand

#### + 64 4 498 4000 http://www.exxonmobil.com

Typical Properties are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect pro performance are to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without nc All products may not be available locally. For more information, contact your local ExxonMobil contact or visit www.exxonmobil.com

ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is intende override or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil-affiliate entit

