



## Mobil Delvac Legend™ 15W-40 Complete Defense

Mobil Commercial Vehicle Lube , Fiji

High Performance Diesel Engine Oil

### Product Description

Mobil Delvac Legend™ 15W-40 Complete Defense is a high performance diesel engine oil that provides proven engine protection of diesel engines operating in on and off-highway severe service applications.

Mobil Delvac Legend 15W-40 Complete Defense is recommended by ExxonMobil for use in a wide range of heavy-duty applications and operating environments found in the trucking, mining, construction, quarrying, and agricultural industries.

This product is fully compatible with Mobil Delvac Super 1300 15W-40 and can be used as a replacement of same.

### Features and Benefits

The technology in Mobil Delvac Legend 15W-40 Complete Defense delivers excellent performance in both modern diesel engines as well as older models. The key benefits include:

Features	Advantages and Potential Benefits
Thermal and oxidation stability	Controls sludge build-up and deposits
TBN reserve	Deposit control
Stay-in-grade shear stability	Reduced oil consumption and wear protection
Excellent detergency/dispersancy	Cleaner engines and longer engine life
Component compatibility	Longer gasket and seal life

### Specifications and Approvals

This product is recommended for use in applications requiring:
ACEA E2
API CF-4
API CG-4
MB 228.1
VOLVO VDS

This product meets or exceeds the requirements of:
API SJ

### Properties and Specifications

Property	
Grade	SAE 15W-40
Viscosity Index, ASTM D2270	136
Kinematic Viscosity @ 40 C, mm <sup>2</sup> /s, ASTM D445	106
Kinematic Viscosity @ 100 C, mm <sup>2</sup> /s, ASTM D445	14.2
Flash Point, °C, ASTM D92	220
Density @ 15 C, kg/l, ASTM D4052	0.88
Total Base Number, mgKOH/g, ASTM D2896	9
Pour Point, °C, ASTM D97	-27
Ash, Sulfated, mass%, ASTM D874	1.0

### Health and safety

Health and Safety recommendations for this product can be found on the Material Safety Data Sheet (MSDS) @ <http://www.msds.exxonmobil.com/psims/psims.aspx>

All trademarks used herein are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries unless indicated otherwise.

04-2024

**ExxonMobil**



© Copyright 2003-2024 Exxon Mobil Corporation. All Rights Reserved