Mobil Ultra 10W-40 Page 1 of 2



Mobil Ultra 10W-40

Mobil Passenger Vehicle Lube, Kazakhstan

Premium Quality Multigrade Passenger Vehicle Engine Oil

Product Description

Mobil Ultra 10W40 is a premium quality motor oil for many types of gasoline and Diesel vehicles.

Features and Benefits

Mobil Ultra 10W-40 is formulated with a proprietary mixture of premium and super premium quality base oils with an additive technology delivering ver performance and engine protection under a variety of driving conditions. Mobil Ultra 10W-40 reduces engine wear with excellent high and low temps performance.

Applications

Mobil Ultra 10W-40 can be used in a variety of passenger vehicles, light trucks and vans, and for anyone seeking a dependable super premium quality product.

Specifications and Approvals

This product is recommended by E	oxonMobil for use in applications requiring:
MB 229.1	

This product meets or exceeds the requirements of the following industry specification:	
ACEA A3/B3	
API SJ	
API SL	
API SM	
API SN	
API SN PLUS	

Properties and Specifications

Property	
Grade	
Ash, Sulfated, mass%, ASTM D874	
Density @ 15.6 C, g/ml, ASTM D4052	
Flash Point, Cleveland Open Cup, °C, ASTM D92	
Hi-Temp Hi-Shear Viscosity @ 150 C 1x10(6) sec(-1), mPa.s, ASTM D4683	

Mobil Ultra 10W-40 Page 2 of 2

Property	
Kinematic Viscosity @ 100 C, mm2/s, ASTM D445	
Kinematic Viscosity @ 40 C, mm2/s, ASTM D445	
Pour Point, °C, ASTM D97	
Viscosity Index, ASTM D2270	

Health and safety

05-2022

Health and Safety recommendations for this product can be found on the Material Safety Data Sheet (MSDS) @ http://www.msds.exxonmobil.com/psims/psims.as

All trademarks used herein are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries unless indicated otherwise.

Typical Properties are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without notice. All promay not be available locally. For more information, contact your local ExxonMobil contact or visit www.exxonmobil.com

ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is intenoverride or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil-affiliate entit

