



Mobil 1™ ESP X3 0W-40

Mobil Passenger Vehicle Lube , Hong Kong

高階全合成引擎機油

產品說明

Mobil 1™ ESP X3 0W-40 是一款先進全合成引擎機油，專為支援高功率引擎的出色性能而設計，可提供出色的引擎清潔性能、抗磨損保護、強大的耐用性和卓著油效益*。Mobil 1 ESP X3 0W-40 是我們與 Porsche 合作研發的最新技術，而 Porsche 亦是我們的主要歐洲設備製造商 (OEM) 之一。Mobil 1 ESP X3 0W-40 經過設計，有助於延長使用新興汽油的歐洲車輛壽命。

* 與 Mobil 1 ESP Formula 5W-30/Mobil 1 ESP 5W-30 相比

特性與效益

Mobil 1 ESP X3 0W-40 由專利配方配製而成，混合多款先進的頂級成分，全方位相容最新的汽油微粒過濾器 (GPF)。Mobil 1 ESP X3 0W-40 旨在提供出色的性能保護，且兼顧燃油經濟效益。主要特性和潛在效益包括：

** 基於行業和 OEM 標準引擎測試

特性	優勢和潛在效益
活性清潔劑	有助於防止有害積垢積聚，以潔淨的方式延長引擎壽命** 提供出色的引擎清潔和油泥控制性能
卓越的耐高溫性能、熱穩定性、氧化穩定性	有助減緩機油老化速度，在整個換油週期內提供保護
提升磨擦性能	與 Mobil 1 ESP Formula 5W-30 相比，可提供更高的燃油效益
優異的低溫性能	能在寒冷天氣下快速提供性能，在啟動時提供保護
抗磨損保護	提供出色的抗磨損保護**

應用範圍

建議將 Mobil 1 ESP X3 0W-40 用於需要 GPF (汽油微粒過濾器) 的高性能引擎。

• Mobil 1 ESP X3 0W-40 只能用於已獲准可使用此機油的車輛。這款產品與需要 A40、C30 或 C20 的車輛引擎並不相容。***

*** 請務必參閱您的車主手冊，以查看製造商建議使用的機油黏度等級和規格

規格與認證

本產品已獲得下列認證：
PORSCHE C40
MB-Approval 229.51
MB-Approval 229.52
GM dexos2

本產品已獲得下列認證：
VW 511 00
本產品符合或超過以下要求：
FIAT 9.55535-S2
API SN PLUS
API SN
ACEA C3

屬性和規格

屬性	
等級	SAE 0W-40
15.6°C 條件下的密度, g/ml, ASTM D4052	0.846
閃火點, 克利夫蘭開口杯, °C, ASTM D92	230
150°C 條件下的高溫高剪切黏度 1x10(6) sec(-1), mPa.s, ASTM D4683	3.8
100°C 條件下的運動黏度, mm2/s, ASTM D445	14.1
流動點, °C, ASTM D97	-48
黏度指數, ASTM D2270	204

健康和安全

如需了解本產品的健康與安全建議，請參閱物質安全資料表 (SDS): <http://www.msds.exxonmobil.com/psims/psims.aspx>

除非另有提及，否則此處使用的所有商標皆為 Exxon Mobil Corporation 或其子公司的商標或註冊商標。

03-2023
ExxonMobil Hong Kong
22nd Floor, Central Plaza,
18 Harbour Road, Wanchai
Hong Kong

+852 3197 8888
<http://www.exxonmobil.com>

Typical Properties are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacture and at different blending locations. The information contained herein is subject to change without notice. All properties may not be available locally. For more information, contact your local ExxonMobil contact or visit www.exxonmobil.com
ExxonMobil is comprised of numerous affiliates and subsidiaries, many with names that include Esso, Mobil, or ExxonMobil. Nothing in this document is intended to override or supersede the corporate separateness of local entities. Responsibility for local action and accountability remains with the local ExxonMobil-affiliate entity.

